

## Kentucky Bluegrass Full Sun Cultivar Trial

### RFR-A2011

Nick Christians, university professor  
Adam Thoms, assistant professor  
Ben Pease, research scientist  
Department of Horticulture

receives limited irrigation during the season and receives 2 to 3 lb N/1,000 ft<sup>2</sup> per season. The mowing height is 3 in. Data are visual evaluations of color and monthly quality evaluations based on a scale of 9-1, with 9 = best.

### Introduction

This is the third year of complete data from Kentucky bluegrass growing in full sun conditions. This is a National Turfgrass Evaluation Program (NTEP) trial and is being conducted at several research stations in the United States. It contains 89 seeded cultivars, including a number of new experimental cultivars.

### Materials and Methods

Research was conducted at the Iowa State University Horticulture Research Station, Ames, Iowa. The trial was planted September 8, 2017. Plots are 5 ft by 5 ft in size, and all cultivars are replicated 3 times. The area

### Results and Discussion

The values listed in Table 1 are the averages of three replications of each cultivar. The last row states the Fisher's LSD (least significant difference), which is a statistical measurement of how widely the data in each column must vary before these are considered to be different from one another. The final column is the mean of all quality data during the entire season.

### Acknowledgements

Appreciation is extended to the NTEP organization for funding to conduct this project.

**Table 1. Quality data for the full-sun Kentucky bluegrass trial.<sup>1</sup>**

Entry	Cultivar	April	May	June	July	Aug	Sept	Oct	Mean
1	A11-40	8	7	8	6	5	5	6	6
2	A13-1	7	5	6	6	5	5	5	6
3	A99-2897	8	6	8	7	6	7	7	7
4	LTP-11-41	7	6	9	8	6	6	6	7
5	Blue Knight	7	4	5	6	5	4	5	5
6	RAD 553	7	6	7	6	5	4	5	6
7	Selway	8	7	8	6	4	6	7	6
8	Babe	7	6	7	6	5	4	6	6
9	AKB3128	7	5	6	6	5	5	5	6
10	AKB3179	8	5	7	7	6	6	5	6
11	AKB3241	7	6	6	6	6	6	6	6
12	NK-1	7	6	6	6	5	5	5	6
13	KH3492	7	7	7	7	6	6	6	6

**Table 1 (continued). Quality data for the full-sun Kentucky bluegrass trial.<sup>1</sup>**

<b>Entry</b>	<b>Cultivar</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug</b>	<b>Sept</b>	<b>Oct</b>	<b>Mean</b>
14	A12-7	7	6	6	6	4	4	5	6
15	After Midnight	7	5	6	6	3	4	3	5
16	J-1138	8	6	8	7	5	6	7	7
17	J-1319	8	5	6	7	6	5	5	6
18	J-2726	7	5	6	8	5	4	4	6
19	J-3510	7	5	8	8	5	6	6	6
20	BAR PP 71213	7	6	6	6	5	5	5	6
21	BAR PP 7309V	8	6	6	6	4	4	4	5
22	BAR PP 79366	7	5	6	6	5	5	6	6
23	Barvette HGT®	7	8	9	6	7	7	7	7
24	BAR PP 7K426	7	5	6	7	5	6	5	6
25	BAR PP 7236V	7	7	8	6	6	5	7	7
26	BAR PP 79494	8	5	9	8	6	7	6	7
27	BAR PP 110358	8	6	6	6	3	4	5	5
28	RAD-1776	7	6	7	6	6	6	6	6
29	NAI-A16-3	7	5	6	6	5	5	5	6
30	NAI-13-132	7	5	8	8	6	6	7	7
31	NAI-15-80	7	6	6	6	6	6	6	6
32	NAI-13-9	8	5	6	7	6	6	6	6
33	NAI-13-14	7	5	9	7	5	5	6	6
34	NAI-14-122	8	5	6	6	5	5	6	6
35	PST-K13-143	8	6	7	7	5	5	5	6
36	NAI-14-128	8	6	7	7	6	6	7	7
37	NAI-14-132	7	5	7	7	5	6	6	6
38	NAI-14-133	7	5	6	6	6	6	6	6
39	NAI-14-176	7	5	7	6	5	6	5	6
40	NAI-14-178	7	7	7	8	6	5	7	7
41	NAI-14-187	7	5	6	7	6	6	5	6
42	NAI-15-84	7	5	6	6	5	5	5	6
43	Pivot	7	6	6	7	4	4	5	6
44	Blue Devil	7	6	7	7	5	6	6	6
45	Skye	7	6	7	7	5	6	6	6
46	GO-22B23	7	6	6	7	6	5	6	6
47	GO-2628	8	6	7	7	5	7	7	7
48	GO-2425	7	6	7	7	5	5	6	6
49	DLFPS-340/3364	8	6	6	6	6	5	6	6
50	DLFPS-340/3446	7	5	6	6	4	5	5	6

**Table 1 (continued). Quality data for the full-sun Kentucky bluegrass trial.<sup>1</sup>**

Entry	Cultivar	April	May	June	July	Aug	Sept	Oct	Mean
51	DLFPS-340/3556	7	5	7	7	6	6	6	6
52	DLFPS-340/3553	7	6	7	7	6	6	6	6
53	DLFPS-340/3494	7	5	6	6	3	4	4	5
54	DLFPS-340/3500	8	5	6	6	4	5	5	5
55	DLFPS-340/3438	7	5	6	7	5	4	5	6
56	DLFPS-340/3549	8	6	7	6	6	6	6	6
57	DLFPS-340/3548	7	6	6	7	5	5	6	6
58	DLFPS-340/3444	8	7	7	6	5	5	5	6
59	DLFPS-340/3455	7	7	7	6	5	5	7	6
60	DLFPS-340/3550	7	6	8	8	6	5	6	6
61	DLFPS-340/3551	7	6	6	6	5	5	5	6
62	DLFPS-340/3552	7	5	6	7	7	7	6	6
63	MVS-130	7	5	6	7	5	5	6	6
64	A16-1	8	7	7	6	4	5	6	6
65	A16-7	7	6	6	6	5	5	6	6
66	A12-34	8	6	6	7	5	5	5	6
67	A11-26	8	5	7	8	4	5	6	6
68	PPG-KB 1320	7	5	7	8	5	6	5	6
69	A11-38	8	6	6	7	5	6	6	6
70	PPG-KB 1131	7	5	7	7	5	5	5	6
71	A10-280	7	6	6	6	5	6	5	6
72	Shamrock	7	7	7	7	4	4	5	6
73	A16-2	7	7	7	7	5	5	6	6
74	PPG-KB 1304	7	7	7	7	6	6	7	7
75	A15-6	7	5	6	7	4	4	4	5
76	A16-17	7	7	8	6	6	6	7	7
77	Prosperity	7	5	7	8	5	6	5	6
78	A06-8	7	6	6	7	6	6	6	6
79	Kenblue	8	8	9	6	6	6	6	7
80	PST-K13-139	7	5	6	7	4	5	5	6
81	PST-K13-141	7	6	6	7	5	5	7	6
82	PST-K11-118	7	6	6	6	4	5	5	6
83	PST-K15-157	8	6	6	7	6	6	6	7

**Table 1 (continued). Quality data for the full-sun Kentucky bluegrass trial.**

<b>Entry</b>	<b>Cultivar</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>Aug</b>	<b>Sept</b>	<b>Oct</b>	<b>Mean</b>
84	PST-11-7	8	6	6	6	5	5	5	6
85	PST-K15-167	7	6	7	7	6	5	6	6
86	PST-K15-177	7	6	6	7	3	4	4	5
87	PST-K15-172	8	6	7	7	6	5	6	6
88	Midnight	7	5	8	7	6	6	7	7
89	PST-T14-39	8	6	6	6	5	5	6	6
LSD 0.05		NS	1	1	1	2	NS	2	1

<sup>1</sup>Quality data are visual evaluations of color and monthly quality evaluations based on a scale of 9-1, with 9 = best.