

2012

# Drought Tolerant Corn Strip Trial

Kevin Van Dee  
*Iowa State University*

Ralph Sandeen  
*Pioneer Hi-Bred*

Follow this and additional works at: [http://lib.dr.iastate.edu/farms\\_reports](http://lib.dr.iastate.edu/farms_reports)



Part of the [Agriculture Commons](#)

---

## Recommended Citation

Van Dee, Kevin and Sandeen, Ralph, "Drought Tolerant Corn Strip Trial" (2012). *Iowa State Research Farm Progress Reports*. 117.  
[http://lib.dr.iastate.edu/farms\\_reports/117](http://lib.dr.iastate.edu/farms_reports/117)

This report is brought to you for free and open access by Iowa State University Digital Repository. It has been accepted for inclusion in Iowa State Research Farm Progress Reports by an authorized administrator of Iowa State University Digital Repository. For more information, please contact [digirep@iastate.edu](mailto:digirep@iastate.edu).

---

# Drought Tolerant Corn Strip Trial

**Abstract**

The strip trial was designed to evaluate new drought tolerant corn hybrids for yield. Three of these drought tolerant hybrids were planted with other hybrids for comparison.

**Keywords**

RFRA1179

**Disciplines**

Agriculture

# Drought Tolerant Corn Strip Trial

## RFR-A1179

Kevin Van Dee, farm superintendent  
 Ralph Sandeen, Pioneer Hi-Bred

### Introduction

The strip trial was designed to evaluate new drought tolerant corn hybrids for yield. Three of these drought tolerant hybrids were planted with other hybrids for comparison.

### Materials and Methods

The study was planted where there were soybeans the previous year. Phosphorus and potassium levels were determined to be adequate, so neither of these fertilizers were applied. The soil pH was determined to be within an acceptable range, so no lime was applied. The area was field cultivated twice on April 13 and planted the same day. Each hybrid was planted in a non-replicated strip

across the field. The entire field was also side-dressed with 150 lb nitrogen/acre using liquid UAN.

### Results and Discussion

Conditions were good at planting but turned cold and wet for two weeks after planting. All hybrids emerged well in May. Hot and dry conditions tested the hybrids for most of the summer.

All hybrids tested were Pioneer hybrids. The three drought tolerant hybrids were Optimum<sup>®</sup> AQUAmax<sup>™</sup> hybrids as shown in Figure 1.

### Acknowledgements

Appreciation is extended to Myron Rees and Chad Hesseltine for their assistance with this project. No endorsement is intended of the products used in this study, nor is criticism implied of products not used.




Figure 1. Corn yield hybrid, Southeast Research and Demonstration Farm.